Type Approval Certificate



This is to certify that the undernoted product(s) has/have been tested in accordance with the relevant requirements of the GL Type Approval System.

Certificate No. 12 179 - 98 HH

Company EBRO Armaturen

Gebr. Bröer GmbH Karlstraße 8

58135 Hagen, GERMANY

Product Description PNEUMATIC DOUBLE ACTING ACTUATORS

Type EB4, EB5, EB6, EB8, EB10, EB12, EB265, EB270, EB280-SYD

EB5, EB6, EB8, EB10 and EB12 - SYDDW with emergency manual override

Environmental Category None

Technical Data / TECHNICAL DATA

Range of Application Control air pressure 2,5 bar up to 10bar

Closing time 0,15 sec to 0,7 sec. according to actuator size

Swivel angle 90° +/-3°

Closing time 0,25 sec. (EB4) up <5 sec. (EB280)

Temperature range - 20°C to + 80°C
Valve interface acc. to EN ISO 5211

Torques acc. to technical data sheet EB-SYD 6.2 dated 08.2012

MATERIALS

Cylinder AlMgSi0,5 F22 Cover GD-AlSi9Cu3
Piston GD-AlSi9Cu3 Shaft 16MnCr5/ESP65

RANGE OF APPLICATION

The pneumatic valve actuators of type EB-DW are type approved for application on remote operating of butterfly valves. For selection the technical data sheet EB-

SYD 6.2 is to be observed.

Test Standard VI-7-8 Regulations for the Performance of Type Tests, Part 6 - Test Requirements

for Mechanical Components and Equipment: 1998

Documents - Technical data sheet EB-SYD 6.2

- Test report of tests carried out

Remarks None.

Valid until 2018-05-04

Page 1 of 1

File No. II.A.13

Hamburg, 2013-10-08

Type Approval Symbol

(GL)

Germanischer Lloyd

Hanspeter Raschle

agen Markus

This certificate is issued on the basis of "Guidelines for the Performance of Type Approvals Part 1, Procedure".